

OTHER PUBLICATIONS FROM

THE COPENHAGEN GENERAL POPULATION STUDY (Herlev/Østerbroundersøgelsen)

2009

1. Nordestgaard BG, Lytken Larsen M. Hyperlipidæmi. Kapitel 30. **Medicinsk Kompendium**, 17. udgave. Nyt Nordisk Forlag Arnold Busck. København 2009; side 865-894.
2. Nordestgaard BG, Langsted a, Freiberg JJ. Nonfasting hyperlipidemia and cardiovascular disease. **Curr Drug Targets** 2009;10:328-35.
3. Zacho J, Tybjaerg-Hansen A, Jensen JS, Grande P, Sillesen H, Nordestgaard BG. C-reactive protein and risk of ischaemic vascular and cerebrovascular disease--secondary publication. **Ugeskr Laeger** 2009;171:1751-5.
4. Zacho J, Tybjaerg-Hansen A, Nordestgaard BG. C-reactive protein, genetically elevated levels and risk of ischemic heart and cerebrovascular disease. **Scand J Clin Lab Invest** 2009;69:442-6.
5. Langsted A, Freiberg JJ, Nordestgaard BG. Fasting and nonfasting lipids--secondary publication. **Ugeskr Laeger** 2009;171:2184-7.
6. Nordestgaard BG. Does elevated C-reactive protein cause human atherothrombosis? Novel insights from genetics, intervention trials, and elsewhere. **Curr Opin Lipidol** 2009; 20: 393-401.
7. Nordestgaard BG, Zacho J. Lipids, atherosclerosis and CVD risk: is CRP an innocent bystander? **Nutr Metab Cardiovasc Dis** 2009;19:521-4.
8. Nordestgaard BG. Does elevated C-reactive protein cause human atherothrombosis? Novel insights from genetics, intervention trials, and elsewhere. **Curr Opin Lipid** 2009; 20: 393-401.
9. Nordestgaard BG, Zacho J. Lipids, atherosclerosis and CVD risk: is CRP an innocent bystander? **Nutr Metab Cardiovasc Dis** 2009; 19: 521-524.
10. Kamstrup PR, Nordestgaard BG. Lipoprotein(a) should be taken much more serious. **Biomarkers Med** 2009; 3:439-441.

2010

11. Frikke-Schmidt R. Genetic variation in the ABCA1 gene, HDL cholesterol, and risk of ischemic heart disease in the general population. **Atherosclerosis** 2010; 208: 305-316.
12. Nordestgaard BG. The Finnish success of cardiovascular risk factor reduction. **Int J Epidemiol** 2010; 39: 518-519.
13. Nordestgaard BG, Chapman MJ, Ray K, Borén J, Andreotti F, Watts GF, Ginsberg H, Amarenco P, Catapano A, Descamps OS, Fisher E, Kovanen P, Kuivenhoven JA, Lesnik P, Masana L, Reiner Z, Taskinen MR, Tokgözoğlu L, Tybjaerg-Hansen A. European Atherosclerosis Society Consensus Panel. Lipoprotein(a) as a Cardiovascular Risk Factor: Current Status. **Eur Heart J** 2010; 31: 2844-2853.

2011

14. Kamstrup PR, Tybjaerg-Hansen A, Nordestgaard BG. Lipoprotein(a) and risk of myocardial infarction - genetic epidemiologic evidence of causality. **Scand J Clin Lab Invest** 2011; 71: 87-93.

15. Nordestgaard BG, Tybjaerg-Hansen A. Genetic determinants of LDL, lipoprotein(a), triglyceride-rich lipoproteins and HDL: concordance and discordance with cardiovascular disease risk. **Curr Opin Lipid** 2011; 22: 113-122.
16. Nordestgaard BG, Freiberg JJ. Clinical relevance of non-fasting and postprandial hypertriglyceridemia and remnant cholesterol. **Curr Vasc Pharmacol** 2011; 9: 281-286.
17. Kolovou G, Mikhailidis DP, Nordestgaard BG, Bilianou H, Panotopoulos G. Definition of postprandial lipemia. **Curr Vasc Pharmacol** 2011; 9: 292-301.
18. Ooi TC, Nordestgaard BG. Methods To Study Postprandial Lipemia. **Curr Vasc Pharmacol** 2011; 9: 302-308.
19. Kolovou GD, Mikhailidis DP, Kovar J, Lairon D, Nordestgaard BG, Ooi TC, Perez-Martinez P, Bilianou H, Anagnostopoulou KK, Panotopoulos G. Assessment and clinical relevance of non-fasting and postprandial triglycerides: an expert panel statement. **Curr Vasc Pharmacol** 2011; 9: 258-270.
20. Chapman MJ, Ginsberg HN, Amarenco P, Andreotti F, Borén J, Catapano AL, Descamps OS, Fisher E, Kovanen PT, Kuivenhoven JA, Lesnik P, Masana L, Nordestgaard BG, Ray KK, Reiner Z, Taskinen MR, Tokgözoğlu L, Tybjaerg-Hansen A, Watts GF; European Atherosclerosis Society Consensus Panel. The European Atherosclerosis Society Consensus Panel. Triglyceride-Rich Lipoproteins and High-Density Lipoprotein Cholesterol in Patients at High Risk of Cardiovascular Disease: Evidence and Guidance for Management. **Eur Heart J** 2011; 32: 1345-1361.
21. Silverman EK, Vestbo J, Agusti A, Anderson W, Bakke PS, Barnes KC, Graham Barr R, Bleecker ER, Marike Boezen H, Burkart KM, Celli BR, Cho MH, Cookson WO, Croxton T, Daley D, Demeo DL, Gan W, Garcia-Aymerich J, Hall IP, Hansel NN, Hersh CP, Kalsheker N, Kiley JP, Jin Kim W, Lambrechts D, Lee SD, Litonjua AA, Lomas DA, London SJ, Nishimura M, Nordestgaard BG, O'Donnell CJ, Postma DS, Puhon MA, Tesfaygi Y, Tobin MD, Vogelmeier C, Wilk JB, Wouters E, Young RP, Ziegler-Heitbrock L, MacNee W, Crapo JD. Opportunities and Challenges in the Genetics of COPD 2010: An International COPD Genetics Conference Report. **COPD** 2011;8:121-135.
22. Allin KH, Nordestgaard BG. Elevated C-reactive protein in the diagnosis, prognosis, and cause of cancer. **Crit Rev Clin Lab Sci** 2011;48:155-170.

2012

23. Kaur-Knudsen D, Bojesen SE, Nordestgaard BG. Cytochrome P450 and 1B1 and 2C9 Genotypes and Risk of Ischemic Vascular Disease, Cancer, and Chronic Obstructive Pulmonary Disease. **Curr Vasc Pharmacol** 2012; 10: 512-520.
24. Nordestgaard BG, Chapman MJ, Ginsberg H. Lipoprotein(a): EAS recommendations for screening, desirable levels and management. **Book** 2012 48 pages.

2013

25. Juhasz P, Lynch M, Paniagua M, Campbell J, Adourian A, Guo Y, Li X, Nordestgaard BG, Gordon N. Discovery and Validation ase Studies: Discovery and Development of Multimarker Panels for Improved Prediction of Near-Term Myocardial Infarction. I Horvatovich R, Bischoff R, eds. *Comprehensive Biomarker Discovery and Validation for Clinical Application*. Cambridge, UK, **Royal Society of Chemistry's Drug Discovery Series** No. 33 2013; p 315-333.
26. Nordestgaard BG, Chapman MJ, Humphries SE, Ginsberg HN, Masana L, Descamps OS, Wiklund O, Hegele RA, Raal FJ, Defesche JC, Wiegman A, Santos RD, Watts GF, Parhofer KG, Hovingh GK, Kovanen PT, Boileau C, Averna M, Borén J, Bruckert E, Catapano AL,

- Kuivenhoven JA, Pajukanta P, Ray K, Stalenhoef AFH, Stroes E, Taskinen M-R, Tybjærg-Hansen A, for the European Atherosclerosis Society Consensus Panel. Familial hypercholesterolaemia is underdiagnosed and undertreated in the general population: guidance for clinicians to prevent coronary heart disease. Consensus statement for the European Atherosclerosis Society. **Eur Heart J** 2013; 34: 3478-3490.
27. Varbo A, Benn M, Nordestgaard BG. Remnant cholesterol as a cause of ischemic heart disease: evidence, definition, measurement, atherogenicity, high risk patients, and present and future treatment. **Pharmacology & Therapeutics** 2014; 141: 358-367.
28. Nordestgaard BG, Lytken Larsen M. Kapitel 28: Hyperlipidæmi. I Schaffalitzky de Muckadell OB, Haunsø S, Vilstrup H, eds. **Medicinsk Kompendium**, 18.ed. København, Nyt Nordisk Forlag Arnold Busck 2013: 828-858.
29. Bojesen SE. Telomeres and human health. **J Intern Med** 2013; 274 :399-413.

2014

30. Hegele R, Ginsberg HN, Chapman MJ, Nordestgaard BG, Kuivenhoven JA, Averna M, Borén J, Bruckert E, Catapano AL, Descamps OS, Hovingh GK, Humphries SE, Kovanen PT, Masana L, Pajukanta P, Parhofer KG, Raal FJ, Ray K, Santos RD, Stalenhoef AFH, Stroes E, Taskinen M-R, Tybjærg-Hansen A, Watts GF, Wiklund O, on behalf of the European Atherosclerosis Society Consensus Panel. The polygenic nature of hypertriglyceridaemia: implications for definition, diagnosis and management. **Lancet Diabet Endocrinol** 2014; 2 :655-666.
31. Varbo A, Benn M, Nordestgaard BG. Remnant cholesterol as a cause of ischemic heart disease: evidence, definition, measurement, atherogenicity, high risk patients, and present and future treatment. **Pharmacology & Therapeutics** 2014; 141: 358-367.
32. Varbo A, Nordestgaard BG. Remnant cholesterol and ischemic heart disease. **Curr Opin Lipidol** 2014; 25: 266-273.
33. Nordestgaard BG, Varbo A. Triglycerides and cardiovascular disease. **Lancet** 2014; 384: 626-635.
34. Afzal S, Nordestgaard BG. Low vitamin D and hypertension: a causal association? **Lancet Diabetes Endocrinol** 2014; 2: 682-684.
35. Cuchel M, Bruckert E, Ginsberg HN, Raal FJ, Santos RD, Hegele RA, Kuivenhoven JA, Nordestgaard BG, Descamps OS, Steinhagen-Thiessen E, Tybjærg-Hansen A, Watts GF, Averna M, Boileau C, Borén J, Catapano AL, Defesche JC, Hovingh GK, Humphries SE, Kovanen PT, Masana L, Pajukanta P, Parhofer KG, Ray KK, Stalenhoef AF, Stroes E, Taskinen MR, Wiegman A, Wiklund O, Chapman MJ; for the European Atherosclerosis Society Consensus Panel on Familial Hypercholesterolaemia. Homozygous familial hypercholesterolaemia: new insights and guidance for clinicians to improve detection and clinical management. A position paper from the Consensus Panel on Familial Hypercholesterolaemia of the European Atherosclerosis Society. **Eur Heart J** 2014; 35: 2146-2157.
36. Langsted A, Nordestgaard BG. Nonfasting lipid profiles: the way of the future. *Clin Chem* 2015; 61: 1123-1125.
37. Nordestgaard BG, Langsted A. How does elevated lipoprotein(a) cause aortic valve stenosis? *J Am Coll Cardiol* 2015; 66: 1247-1249.
38. Rifai N, Young I, Nordestgaard BG, Mora S, Wierzbicki A, Vesper H, Stone N, Genest J, Miller G. Non-Fasting Sample for the Determination of Routine Lipid Profile: Is it an Idea which Time Has Come? *Clin Chem* 2016; 62: 428-435.
39. Nordestgaard BG. Triglyceride-rich lipoproteins and atherosclerotic cardiovascular disease:

- New insights from epidemiology, genetics, and biology. *Circ Res* 2016; 118: 547-563.
40. Nordestgaard BG, Langsted A, Mora S, Kolovou G, Baum H, Bruckert E, Watts GF, Sypniewska G, Wiklund O, Borén J, Chapman MJ, Cobbaert C, Descamps OS, von Eckardstein A, Kamstrup PR, Pulkki K, Kronenberg F, Remaley AT, Rifai N, Ros E, Langlois M, for the European Atherosclerosis Society (EAS) and the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM) joint consensus initiative. Fasting is not routinely required for determination of a lipid profile: Clinical and laboratory implications including flagging at desirable concentration cut-points. A joint consensus statement from the EAS and EFLM. **Eur Heart J** 2016; online April 26.
 41. Nordestgaard BG, Langsted A, Mora S, Kolovou G, Baum H, Bruckert E, Watts GF, Sypniewska G, Wiklund O, Borén J, Chapman MJ, Cobbaert C, Descamps OS, von Eckardstein A, Kamstrup PR, Pulkki K, Kronenberg F, Remaley AT, Rifai N, Ros E, Langlois M, for the European Atherosclerosis Society (EAS) and the European Federation of Clinical Chemistry and Laboratory Medicine (EFLM) joint consensus initiative. Fasting is not routinely required for determination of a lipid profile: Clinical and laboratory implications including flagging at desirable concentration cut-points. A joint consensus statement from the EAS and EFLM. **Clin Chem** 2016; 62: 930-946.
 42. Kjaergaard AD, Johansen JS, Bojesen SE, Nordestgaard BG. Role of Inflammatory marker YKL-40 in the diagnosis, prognosis, and cause of cardiovascular and liver diseases. **Crit Rev Clin Lab Sci** 2016; in press, p 1-13.
 43. Varbo A, Langsted A, Nordestgaard BG. Commentary: Nonfasting remnant cholesterol simplifies triglyceride-rich lipoproteins for clinical use, while metabolomic phenotyping ignite scientific curiosity. **Int J Epidemiol** 2016; online August 30.
 44. Varbo A, Nordestgaard BG. Remnant cholesterol and triglyceride-rich lipoproteins in atherosclerosis progression and cardiovascular disease. **Arterioscler Thromb Vasc Biol** 2016; in press.
 - 45.